THE JAPANESE JOURNAL OF *Pharmacology*

Official Publication of the Japanese Pharmacological Society

Edited for the Society

by

Motohatsu FUJIWARA *(Chief Editor)*	**Masashi SASA** *(Press Editor)*
Haruo ITO	**Kazuyoshi KURAHASHI**
Hirosi KURIYAMA	**Motoo OKA**
Tetsuo OKA	**Kiyomi SAEKI**
Hideya SAITO	**Shuji TAKAORI**

VOLUME 38

1985

PUBLISHED BY

THE JAPANESE PHARMACOLOGICAL SOCIETY

Monthly

Secretarial Office, Japanese Pharmacological Society,
Gakkai Center Bldg., 2-4-16 Yayoi, Bunkyo-ku,
Tokyo 113, Japan. Tel. 03-814-4828

Editorial Office, Japanese Pharmacological Society,
c/o Department of Pharmacology, Faculty of Medicine,
Kyoto University, Sakyo-ku, Kyoto 606, Japan.
Tel. 075-761-8789

AUTHOR INDEX

Abe, Y.
See Takada, T.
Aburada, M.
See Maeda, S.
Aihara, H.
See Tsuchida, K.
Aizu, E.
See Nakadate, T.
Asano, T., Shigenobu, K. and Kasuya, Y.
Hypoxia and cardiac function 65
Ashton, D.
See Wauquier, A.

Chiba, S.
See Furukawa, Y.
See Tsuchida, K.
Chiba, S. and Tsukada, M.
Periarterial stimulation on isolated artery 83
Cheng, J.-T.
See Shinozuka, K.
Clincke, G.
See Wauquier, A.

Doteuchi, M.
See Hirose, F.

Fransen, J.
See Wauquier, A.
Fujii, A.
See Ito, M.
Fujimoto, K.
See Kawashima, K.
Fujioka, S.
See Takada, T.
Fujisawa, S.
See Ohmiya, Y.
Fujiwara, H.
See Kondo, M.
Fukui, K.
See Takada, T.
Furukawa, K.
See Ito, T.
Furukawa, Y., Saegusa, K. and Chiba, S.
Strychinine on the heart 439

Gemba, M.
See Sugihara, K.

Harada, M.
See Maeda, S.
Haraguchi, H.
See Kuribara, H.
Harigaya, S.
See Naito, K.
Hasegawa, T., Ohta, M., Kido, N., Kato, N., Miyamoto, K. and Koshiura, R.
Antitumor activity of KO3 LPS and polysaccharide 355
Hashimoto, K.
See Komori, S.
Hayashi, E.
See Shinozuka, K.
Hayashi, T.
See Nakamura, K.
Hidaka, T., Takeo, K., Hosoe, K., Katsumi, I., Yamashita, T. and Watanabe, K.
KME-4, a new anti-inflammatory drug 267
Higuchi, H., Uchida, S., Murata, M. and Yoshida, H.
Supersensitivity and protein synthesis 429
Hirose, F., Mizui, T., Shimono, N. and Doteuchi, M.
Gastric antral ulcers in rats 223
Honda, K., Takenaka, T., Shiono, K., Miyata-Osawa, A. and Nakagawa, C.
Antihypertensive effect of amosulalol 31
Honda, S.
See Saito, K.
Hosoe, K.
See Hidaka, T.
Huang, J.-T. and Nakajima, Takehiro
Contraction of vas deferens of aging rats 321

Ichikawa, A.
See Umezu, K.
Iguchi, Y.
See Kishioka, S.
Iimori, Y.
See Miyazawa, K.
Ikeda, T.
See Wakasugi, J.
Ikeya, Y.
See Koshiura, R.
Imai, M.
See Koyama, S.
Imai, S.
See Katano, Y.
Inoue, K., Kera, Y., Kiriyama, T. and Komura, S.
Suppression of acetaldehyde by 4-methylpyrazole 43
Ishii, M.
See Komori, S.
Ishitani, R.
See Nishi, A.
Ito, M., Fujii, A. and Suzuki, Y.
Ulcer healing-promoting action of teprenone 287

Ito, T., Furukawa, K., Karasawa, T., Kadokawa, T. and Shimizu, M.
Spinal reflex & monoamine neuron 243
Iwaki, T., Noguchi, A. and Sekimoto, T.
Sources of cholesterol in adrenal cortex 207

Kadokawa, T.
See Ito, T.
Kakki, N.
See Koyama, S.
Kamata, K. and Kameyama, T.
Dopamine cell and methamphetamine 231
Kamata, K., Ogawa, K. and Kameyama, T.
Morphine analgesia and dopaminergic system 113
Kameyama, T.
See Kamata, K.
Kaneko, K.
See Tsuchida, K.
Karasawa, A.
See Nishi, A.
Karasawa, T.
See Ito, T.
Kasuya, Y.
See Asano, T.
Katami, K.
See Wakasugi, J.
Katano, Y., Nakazawa, M., Shimamoto, N., Sakai, K., Matsui, K. and Imai, S.
Sympathectomy and coronary flow in dog HLP 325
Kato, N.
See Hasegawa, T.
Kato, R.
See Nakadate, T.
Kato, Y.
See Yamamoto, Kenji
Katsumi, I.
See Hidaka, T.
Kawashima, K.
See Watanabe, T.X.
Kawashima, K., Miwa, Y., Fujimoto, K., Matsumoto, J., Kimura, M. and Nagakura, A.
Bunitrolol in SHR 259
Kera, Y.
See Inoue, K.
Kido, N.
See Hasegawa, T.
Kikumoto, R.
See Umezu, K.
Kimura, M.
See Kawashima, K.
Kiriyama, T.
See Inoue, K.
Kishioka, S., Tamura, S., Iguchi, Y., Ozaki, M. and Yamamoto, H.
NRGC and corticosterone increase by morphine 334
Kitagawa, H.
See Takeda, F.
Kito, S.
See Miyoshi, R.
Kohei, H.
See Takeda, F.
Koike, K. and Takayanagi, I.
β-Adrenergic partial agonist 169
Komori, S., Ishii, M. and Hashimoto, K.
Antiarrhythmic effects of vasodilators 73
Komura, S.
See Inoue, K.
Kondo, M., Fujiwara, H. and Tanaka, C.
Dopaminergic terminals in spinal cord 442
Konno, F. and Takayanagi, I.
Muscarinic receptor in ciliary body 91
Konno, S. and Tsurufuji, S.
Inhibition of histamine release by K-76COONa 116
Rat anaphylatoxin & histamine release 185
Zymosan-induced inflammation 177
Kontani, H. and Koshiura, R.
Drugs on afferent activity of frog lung 295
Koshiura, R.
See Hasegawa, T.
See Kontani, H.
See Miyamoto, K.
Koshiura, R., Miyamoto, K., Ikeya, T. and Taguchi, H.
Antitumor activity of *Agrimonia pilosa* 9
Koyama, S., Sasaki, M., Setoyama, T., Takahashi, K., Togashi, K., Suzuki, K., Kakki, N. and Imai, M.
Renal effect of dopamine and vasopressin 25
Kubota, K.
See Sunagane, N.
Kuribara, H., Haraguchi, H. and Tadokoro, S.
Comparisons between lever-press and shuttle avoidances 141

Lechat, P.
See Uchiyama, T.
Lemeignan, M.
See Uchiyama, T.

Maeda, S., Takeda, S., Miyamoto, Y., Aburada, M., and Harada, M.
Antihepatotoxic action of gomisin A 347
Makino, M.
See Miyazawa, K.
Maruyama, M.
Enkephalin and non-opioid peptides 445
Matsubara, K. and Matsushita, A.
Long-lasting effect of caerulein 381
Matsui, K.
See Katano, Y.

Matsumoto, J.
See Kawashima, K.
Matsunaga, T.
See Miyamoto, K.
Matsushita, A.
See Matsubara, K.
Mikami, T.
See Miyazawa, K.
Miwa, K. and Toda, N.
Regional difference in coronary artery dilator response 313
Miwa, Y.
See Kawashima, K.
Miyamoto, A. and Ohshika, H.
Isoproterenol and Na^+,K^+-ATPase activity 305
Miyamoto, K.
See Hasegawa, T.
See Koshiura, R.
Miyamoto, K., Matsunaga, T., Takemoto, N., Sanae, F. and Koshiura, R.
Disorder of β_2-responsiveness in AH cells 101
Miyamoto, Y.
See Maeda, S.
Miyasaka, K.
See Miyazawa, K.
Miyata-Osawa, A.
See Honda, K.
Miyazawa, K., Iimori, Y., Makino, M., Mikami, T. and Miyasaka, K.
Effects on cyclooxygenase and lipoxygenase 199
Miyoshi, R., Kito, S. and Mizuno, K.
Autoradiography of BZR subtypes 281
Mizui, T.
See Hirose, F.
Mizuno, K.
See Miyoshi, R.
Murata, M.
See Higuchi, H.

Nagakura, A.
See Kawashima, K.
Nagao, T.
See Naito, K.
Nagatomo, T.
See Tsuchihashi, H.
Naito, K., Nagao, T., Otsuka, M., Harigaya, S. and Nakajima, H.
Affinity of denopamine for β-receptors 235
Nakadate, T., Yamamoto, S., Aizu, E. and Kato, R.
TPA-caused increase in vascular permeability 161
Nakagawa, C.
See Honda, K.
Nakai, K.
See Ohmiya, Y.
Nakajima, H.
See Naito, K.
Nakajima, S. and Ueda, M.
711389-S on the ventricular fibrillation threshold 436
Nakajima, Takehiro
See Huang, J.-T.
Nakajima, Tohru
See Nakamura, K.
Nakamura, K., Hayashi, T. and Nakajima, Tohru
Cerebral met-enkephalin and hypotension 49
Nakazawa, M.
See Katano, Y.
Nishi, A., Karasawa, A., Yoshikawa, S. and Ishitani, R.
5-HT binding to acidic lipids 411
Nobuhara, Y., Takeuchi, K. and Okabe, S.
Prednisolone-induced gastric lesions 219
Noguchi, A.
See Iwaki, T.

Ogawa, K.
See Kamata, K.
Ogawa, T.
See Sunagane, N.
Ohmiya, Y., Fujisawa, S. and Nakai, K.
Pulmonary accumulation of pyrilamin N-oxide 448
Ohshika, H.
See Miyamoto, A.
Ohta, M.
See Hasegawa, T.
Ohtsuki, H., Takeuchi, K. and Okabe, S.
Compound 48/80 and gastric lesions 195
Compound 48/80-induced gastric lesions 253
Okabe, S.
See Nobuhara, Y.
See Ohtsuki, H.
Otsuka, M.
See Naito, K.
Ozaki, M.
See Kishioka, S.

Saegusa, K.
See Furukawa, Y.
Saito, K., Honda, S., Tobe, A. and Yanagiya, I.
Effects of MCI-2016 on ACh level 375
Sakai, K.
See Katano, Y.
Sanae, F.
See Miyamoto, K.
Sasaki, M.
See Koyama, S.
Sekimoto, T.
See Iwaki, T.
Setoyama, T.
See Koyama, S.

Shigenobu, K.
See Asano, T.
Shikimi, T.
Heparin on aprotinin activity 433
Shimamoto, N.
See Katano, Y.
Shimizu, M.
See Ito, T.
Shimono, N.
See Hirose, F.
Shinozuka, K., Cheng, J.-T. and Hayashi, E.
Adenosine action on circular muscle 361
Shiono, K.
See Honda, K.
Sokabe, H.
See Watanabe, T.X.
Sudo, Ayako
Adrenalin in sympathetic nerve endings 367
Sudoh, Atsuko
See Umezu, K.
Sugihara, K., Tachibana, A. and Gemba, M.
Lithium effect on p-aminohippurate transport 127
Sunagane, N., Ogawa, T., Uruno, T. and Kubota, K.
Sodium ion and papaverine effect on Ca-efflux 133
Suzuki, K.
See Koyama, S.
Suzuki, Y.
See Ito, M.

Tachibana, A.
See Sugihara, K.
Tadokoro, S.
See Kuribara, H.
Taguchi, H.
See Koshiura, R.
Takada, T., Yamamoto, Kenjiro, Fujioka, S., Tamaki, T., Fukui, K. and Abe, Y.
Renal action of SA-446 227
Takahashi, K.
See Koyama, S.
Takayanagi, I.
See Koike, K.
See Konno, F.
Takeda, F., Kitagawa, H. and Kohei, H.
Gastric cytoprotection by pirenzepine 337
Takeda, M.
See Yamamoto, Kenji
Takeda, S.
See Maeda, S.
Takemoto, N.
See Miyamoto, K.
Takenaka, T.
See Honda, K.
Takeo, K.
See Hidaka, T.
Takeuchi, K.
See Nobuhara, Y.
See Ohtsuki, H.
Tamaki, T.
See Takada, T.
Tamura, S.
See Kishioka, S.
Tanaka, C.
See Kondo, M.
Tawara, K.
See Wakasugi, J.
Tobe, A.
See Saito, K.
Toda, N.
See Miwa, K.
Togashi, K.
See Koyama, S.
Tomikawa, M.
See Wakasugi, J.
Tsuchida, K., Kaneko, K., Aihara, H. and Chiba, S.
Cardiovascular effects of Ionomycin A 109
Tsuchihashi, H. and Nagatomo, T.
Characteristics of β-adrenoceptor 17, 121, 403
Tsukada, M.
See Chiba, S.
Tsurufuji, S.
See Konno, S.

Uchida, S.
See Higuchi, H.
Uchiyama, T., Lemeignan, M. and Lechat, P.
Aminopyridines and neuromuscular junctions 329
Ueda, M.
See Nakajima, S.
Umezu, K., Yuasa, S., Sudoh, Atsuko, Kikumoto, R. and Ichikawa, A.
Effect of TRQ on mast cell 153
Uruno, T.
See Sunagane, N.

Wakasugi, J., Tawara, K., Katami, K., Ikeda, T. and Tomikawa, M.
Improvement of hypocholesterolemia by malotilate 391
Watanabe, K.
See Hidaka, T.
Watanabe, T.X., Kawashima, K. and Sokabe, H.
Chronic effects of enalapril in SHRSP 419
Watanabe, T.X., Sokabe, H. and Kawashima, K.
BP effects of nipradilol and prizidilol 273
Wauquier, A., Ashton, D., Clincke, G. and Fransen, J.
"Calcium entry blockers" as cerebral protectants 1

Yamamoto, H.
See Kishioka, S.
Yamamoto, Kenji, Takeda, M. and Kato, Y.
Cathepsin B activation by sodium salicylate 215
Yamamoto, Kenjiro
See Takada, T.
Yamamoto, S.
See Nakadate, T.
Yamashita, T.
See Hidaka, T.
Yanagiya, I.
See Saito, K.
Yoshida, H.
See Higuchi, H.
Yoshikawa, S.
See Nishi, A.
Yuasa, S.
See Umezu, K.

SUBJECT INDEX

Acetaldehyde 43
Acetylcholine 361, 375, 439
Acidic lipids 411
Acquisition processes 141
ACTH 207
Adenosine 361
Adenylate cyclase 101
Adrenal cortex 207
Adrenaline 367
α-Adrenergic response 429
β-Adrenergic responsiveness 101
β-Adrenoceptor 17, 121, 169, 403
α- and β-Adrenoceptor blockade 31
Afferent discharges 295
Aging 321
Agrimonia pilosa LEDEB. 9
Alcohol-hypersensitivity 43
Ambulation 381
p-Aminohippurate 127
4-Aminopyridine 329
Amosulalol (YM-09538) 31
Amphetamine 381
Anaphylatoxin 185
Antiarrhythmic drug 436
Anti-curare activity 329
Antihepatotoxic action 347
Antihypertensive effect 31, 419
Antioxidants 199
Antitumor activity 9, 355
Antiulcer drugs 219
Apomorphine 113
Aprotinin 433
Arrhythmia 73
Ascites hepatoma cells 101
ATP 65
Autoradiography 281, 442

Benzodiazepine receptor 281
Bile acids 253
Bile secretion 347
β-Blocker 259
Bunitrolol 259

Ca antagonists 73
Ca-efflux 133
Caerulein 381
Calcium entry blockers 1
Captopril 419
Cardiac muscle 65
Cathepsin B 215
Cathepsin H 215
CCl_4 391
Chemiluminescence 199
Cholesterol 391
Ciliary body smooth muscle 91
Cimetidine 287
Clonidine 49
Complement 177, 185
Compound 48/80 177, 195, 253
Concanavalin A 121
Coronary artery 109, 313
Corticoidogenic cholesterol 207
Corticosterone 334
Cyclic AMP 133, 305
Cyclooxygenase 199
Cyclooxygenase inhibition 267
Cytoprotection 337
Cytotoxicity 9

Denopamine 235
α-(3,5-Di-tert-butyl-4-hydroxybenzylidene)-γ-butyrolactone (KME-4) 267
3,4-Diaminopyridine 329
Discrete avoidance 141
DNA 17
Dopamine 25, 442
Dopamine receptors 25
Drug-receptor interaction 169

Enalapril 419
Endoglycosidase H 403
Ethanol 337

Gastric acid 253, 337
Gastric lesions 195, 219, 253
Gastric ulcer 223, 287
Glycopeptidase A 403
Gomisin A 347
Gpp(NH)p 169

^{3}H-dihydroalprenolol 235
Haloperidol 25, 113
Heart-lung preparation 325
Heparin 17, 433
Histamine 116, 153, 185, 195
Histidine decarboxylase 153
Host-mediated action 9
Hydralazine 49
5-Hydroxytryptamine 195, 243, 411
Hypertensive rats 31
Hypoxia 1, 65, 375

ICG-clearance 347
Ileal circular muscle 361
Immunochemical titration 433
Indomethacin 161, 223

Inflammation 177, 185
Ischemia 1, 223, 375
Isoproterenol 305

K-76COONa 116
K-selective ionophore 109
Klebsiella O3 lipopolysaccharide 355

Labetalol 31
Lipoxygenase 161, 199, 267
Lithium 127
Liver cells (cultured) 101

Malotilate 391
Mast cell 153, 177
Mastocytoma P-815 153
MCI-2016 375
Met-enkephalin 49
Methamphetamine 231
α-Methyldopa 49
4-Methylpyrazole 43
Morphine 113, 295, 334
Morphine related compound 295
Mucosal regeneration 287
Muscarinic receptor 91

Na^+,K^+-ATPase 109, 305
Neuraminidase 403
Nicorandil 73
Nipradilol 273
Non-opioid peptides 445
Non-steroidal anti-inflammatory drugs 199
Noradrenaline 83, 367
Norepinephrine *See* Noradrenaline
Nucleus reticularis gigantocellularis 334

6-OH dopamine 325
Opioid receptors 445
Organic anion transport 127
N-Oxide 448

Papaverine 133
Parotid gland 305
Phaseolus vulgaris hemagglutinin 121
Phentolamine 83
Pirenzepine 337
Plasma renin 273, 419
Platelets 267
Polymorphonuclear leukocytes 267
Polymyxin B 17
Polysaccharide fraction 355
Potassium release 305
Prednisolone 219
Prizidilol 273
Probenecid 227
Propranolol 259
Prostacyclin (PGI_2) 325
Protein synthesis 429
Psychoactive drugs 141
Pulmonary receptors (frog) 295
Pyrilamine 448

Renal function 127, 227
Renal water transport 25

711389-S 436
SA-446 227
Schizandra fruits 347
Scopolamine 375
Seizures 1
Serotonin *See* 5-Hydroxytryptamine
SHRSP rats 419
Sodium ion 133
Sodium salicylate 215
Spasticity 243
Spinal cord 442
Spinal interneuron 243
Spontaneously hypertensive rat (SHR) 49, 259, 273
Stress 367
Strychnine 439
Substantia nigra pars compacta 231
Supersensitivity 429
Sympathetic nerve 367

Teprenone 287
12-O-Tetradecanoylphorbol-13-acetate 161
Tetraethylammonium chloride 65
Trimetazidine 73
Tritoqualine 153
Trypsin 321

Vas deferens 321
Vascular permeability 161
Vasoconstriction 83
Vasodilator 313
Vasopressin 25
Ventral tegmental area 231
Ventricular fibrillation 436

Wheat germ agglutinin 121

Zymosan 177, 185
Zymosan-air-pouch inflammation 116